



AIR-CONDITIONING LEGEND			
DB(M)	MOTORIZED DAMPER	SP	SPLITTER DAMPER
S	FAN SWITCH	S	FAN SWITCH
①	THERMOSTAT	①	THERMOSTAT
②	A/C CONTROL SWITCH (ON/OFF)	②	A/C CONTROL SWITCH (ON/OFF)
CCU	CEILING MOUNTED CASSETTE UNIT	CCU	CEILING MOUNTED CASSETTE UNIT
WFOU	WALL FAN COIL UNIT	WFOU	WALL FAN COIL UNIT
VFU	VERTICAL FAN COIL UNIT	VFU	VERTICAL FAN COIL UNIT
PHU	FLOOR MOUNTED FAN COIL UNIT	PHU	FLOOR MOUNTED FAN COIL UNIT
ACU	AIR COOLED CONDENSING UNIT	ACU	AIR COOLED CONDENSING UNIT
CU	CONDENSING UNIT	CU	CONDENSING UNIT
RH	RANGE HOOD	RH	RANGE HOOD
EH	EXHAUST AIR GRILLE	EH	EXHAUST AIR GRILLE
EDS	EXHAUST DUCT SECTION	EDS	EXHAUST DUCT SECTION
RA	RETURN AIR GRILLE	RA	RETURN AIR GRILLE
SA	SUPPLY AIR DIFFUSER	SA	SUPPLY AIR DIFFUSER
SD	SUPPLY AIR DUCT SECTION	SD	SUPPLY AIR DUCT SECTION
OD	OUTSIDE AIR DIFFUSER	OD	OUTSIDE AIR DIFFUSER
DT	DOUBLE THICKNESS TURNING VANES	DT	DOUBLE THICKNESS TURNING VANES
FD	FLEX DUCTIBLE DUCT	FD	FLEX DUCTIBLE DUCT
DO	DOOR GRILLE	DO	DOOR GRILLE
UC	DOOR UNDERCUT	UC	DOOR UNDERCUT
TR	TRANSITION FROM SQUARE TO ROUND DUCT	TR	TRANSITION FROM SQUARE TO ROUND DUCT
MD	MOTION DETECTOR	MD	MOTION DETECTOR
TC	TIME CLOCK	TC	TIME CLOCK
BD	BACK DRAFT DAMPER	BD	BACK DRAFT DAMPER
OB	OPPOSED BLADE DAMPER	OB	OPPOSED BLADE DAMPER
EA	EXHAUST AIR	EA	EXHAUST AIR
SA	SUPPLY AIR	SA	SUPPLY AIR
RA	RETURN AIR	RA	RETURN AIR
HA	HUMIDISTAT	HA	HUMIDISTAT
FD	FIRE DAMPER	FD	FIRE DAMPER
PS	CHILLED WATER RETURN	PS	CHILLED WATER RETURN
PS	CHILLED WATER SUPPLY	PS	CHILLED WATER SUPPLY
PS	PRESSURE STABILIZER	PS	PRESSURE STABILIZER
PS	HEATER	PS	HEATER
PS	FILTER	PS	FILTER
AD	ACCESS DOOR	AD	ACCESS DOOR
AE	AIR EXTRACTOR	AE	AIR EXTRACTOR

No.	REVISION	DATE
1	THIS DRAWING IS TO BE READ WITH ALL RELEVANT ARCHITECTURAL, STRUCTURAL AND MEP DRAWINGS. REPORT ALL DISCREPANCIES, OMISSIONS OR ERRORS TO THE ENGINEER. IF IN DOUBT ASK	

**LEVERAGE**  
CONSULTING ENGINEERS INC.

**architect**  
MODULON MAYERS

**job name**  
MILTON CAYO MEMORIAL HOSPITAL

**drawing title**  
GROUND FLOOR  
AIR-CONDITIONING LAYOUT

drawn <i>A. Stoddard</i>	des/chk <i>A. Stoddard</i>	scale 1/8"=1'-0"	date JUN '12	status TENDER
job no. 120701	dwg. no. M-1	rev. 11		

4.4  
FOR TENDER  
2014-02-21

No.	REVISION	DATE
1	TEMPERATURE, HUMIDITY, RISE, & RISED TO OPERATION THEATRES	2014-02-21
2	NOTES TO ARCHITECT & ENGINEERING	
3	THEATRES ADDED	
4	OPERATING THEATRE LAYOUT REVISED	

#1 Elin Torres, Britton Cross Road,  
St. Michael BB14002, Barbados, W.I.  
LEVERAGE CONSULTING ENGINEERS INC.  
HAS COPYRIGHT OF THIS DOCUMENT.