



AIR-CONDITIONING LEGEND	
OBD(M)	MOTORISED DAMPER
OBD	OPPOSED BLADE DAMPER
SD	SPLITTER DAMPER
F _s	FAN SWITCH
Ⓢ	THERMOSTAT
Ⓢ	A/C CONTROL SWITCH (ON/OFF)
CMCU	CEILING MOUNTED CASSETTE UNIT.
CCU	CEILING CONCEALED UNIT.
WFCU	WALL FAN COIL UNIT.
VFCU	VERTICAL FAN COIL UNIT
AHU	AIR HANDLER UNIT.
FMFCU	FLOOR MOUNTED FAN COIL UNIT
ACCU	AIR COOLED CONDENSING UNIT.
CU	CONDENSING UNIT.
RH	RANGE HOOD
□	EXHAUST AIR GRILLE
▨	EXHAUST DUCT SECTION
▧	RETURN AIR GRILLE
▩	SUPPLY AIR DIFFUSER
▩▩	SUPPLY AIR DUCT SECTION
▩▩▩	OUTSIDE AIR DIFFUSER
▩▩▩▩	DOUBLE THICKNESS TURNING VANES
▩▩▩▩▩	FLEXIBLE DUCT
← DG-1	DOOR GRILLE
← UC	DOOR UNDERCUT
▩▩▩▩▩	TRANSITION FROM SQUARE TO ROUND DUCT
⊞	FAN
MD	MOTION DETECTOR
TC	TIME CLOCK
BDD	BACK DRAFT DAMPER
---	2 HOUR RATED FIRE DAMPER
---	CHILLED WATER SUPPLY
---	CHILLED WATER RETURN
AD	ACCESS DOOR

No.	REVISION	DATE
This Drawing Is To Be Read With All Relevant Architectural, Structural And MEP Drawings. Report All Discrepancies, Omissions Or Errors To The Engineer. IF IN DOUBT-ASK.		



#1 Erin Terrace, Brittons Cross Road, St. Michael 8814002, Barbados, W.I.

LEVERAGE CONSULTING ENGINEERS INC. HAS COPYRIGHT OF THIS DOCUMENT ©.

architect
MOULTON MAYERS ARCHITECTS

job name
MENTAL HEALTH CENTRE

drawing title
GROUND FLOOR VENTILATION LAYOUT PART 2 OF 3

drawn <i>R. Parrott</i>	des/chk <i>R. Jordan</i>	
scale 1/8"=1'-0"	date JUN. '12	status FOR TENDER
job no. 120702	dwg. no. M-2	rev.

FOR TENDER

2012-09-18