

External Works (Cont'd)

		<u>Rate Excl.</u>	<u>Amount Excl.</u>	
		<u>Tax</u>	<u>Tax</u>	
<u>Builders Work in Connection with External Electrical Services</u>				
Excavate in trenches for large bore pipes not exceeding 5'0" deep, include for planking and strutting, grading bottoms, keeping free from general water, backfilling with selected excavated material and for disposal of excess excavated material				
A	average 3'0" deep	111	LY	
	Ditto for 2# 3" dia pipes, include for ditto			
B	average 3'0" deep	206	LY	
	Ditto for 3# 3" dia pipes, include for ditto			
C	average 3'0" deep	16	LY	
D	Ditto for 3# 4" dia pipes, include for ditto	25	LY	
	Ditto for 3# 3" dia and 1# 4" dia pipes, include for ditto			
E	average 3'0" deep	24	LY	
	Ditto for 3# 3" dia and 3# 4" dia pipes, include for ditto			
F	average 3'0" deep	20	LY	
G	Imported sand surrounds to pipes in trenches	69	CY	
H	Plastic warning tape laid in trenches	402	LY	
I	Construct electrical manholes 4'0" x 4'0" x 3'0" deep internally, include for proprietary cast iron covers	5	No.	
J	Ditto telephone manholes 3'0" x 4'0" x 3'0" deep internally, include for ditto	4	No.	
K	Include a provisional sum for excavating through existing concrete floor slabs and for making good	PROV	SUM	10,000.00
To Summary			\$	

External Works (Cont'd)

			Rate Excl.	Amount Excl.
			Tax	Tax
<u>Work to Existing Laundry</u>				
A	Prepare existing concrete floor and apply epoxy floor covering with speckled finish	125	SY	
<u>Clean, prepare and paint 2 coats acrylic emulsion paint on:</u>				
B	Existing walls	300	SY	
<u>Work to Existing Boundary Walls</u>				
C	Drill into top of existing stone wall and grout in 24" long 12mm dia dowel	265	No.	
D	Prepare top of existing wall to receive concrete	117	SY	
E	Concrete 3750 psi at 28 days, 3/4" aggregate in levelling beam	26	CY	
F	Reinforcement in ditto	2750	Lbs.	
G	Sawn formwork to sides of ditto	78	SY	
H	8" thick concrete blockwork laid in 1:4 cement mortar, filled solid with concrete and reinforced with 1No. 12mm dia bar at 2'0" centres	117	SY	
I	Cement and sand render (1:4) 1/2" thick in one coat finished smooth on ditto	427	SY	
J	Prepare and paint 3 coats acrylic emulsion on ditto	427	SY	
<u>Protection</u>				
K	Allow for the protection of all of the work contained in this section	Item		
To Collection			\$	
<u>Collection</u>				
Amount of Page No. EW/1				
Amount of Page No. EW/2				
Amount of Page No. EW/3A				
Amount of Page No. EW/4				
Amount of External Works To Summary			\$	

MENTAL HEALTH CENTRE - LOT 2**BID SUMMARY**

Amount of Preliminaries
(provide breakdown as per Preliminaries Item C,
page 17, Volume 3

Amount of External Corridor to Female Ward from Page No. BQ/4

Amount of Dressing Room and Sluice Room
Extensions from Page No. BQ/8

Amount of New Roof to Fire Damaged Area from Page No. BQ/10

Amount of Alterations to Main Building from Page No. S/1

Amount of External Works from Page No. EW/4

Contingency Sum

Add VAT 15%

**AMOUNT OF ALTERATIONS AND UPGRADING
MENTAL HEALTH CENTRE
TO FORM OF TENDER - LOT 2**

<u>Rate Excl.</u>	<u>Amount Excl.</u>
<u>Tax</u>	<u>Tax</u>
\$	
\$	
\$	
\$	
\$	
\$	
\$	
\$	
\$	250,000.00
\$	
\$	
\$	